

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	589324	transmi\$5 near6 (data or (data near2 (packet\$1 or unit\$2 or frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:42
L2	647922	rece\$5 near6 (data or (data near2 (packet\$1 or unit\$2 or frame\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:43
L3	252141	1 same 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:43
L4	215435	1 with 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 11:43
L5	469	3 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:28
L6	154	4 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 12:00
L11	6	5 same (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:18
L12	1	6 with (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 12:27
L13	1	5 same (error\$1 near2 correction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 12:47
L14	0	6 with (error\$1 near2 correction\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:19

L15	49	5 same (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 12:49
L16	8	6 with (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:58
L17	6767	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) same (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:20
L18	3050	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) with (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:32
L19	1622	(sampl\$3 or oversampl\$3 or (over adj sampl\$3)) near6 (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:20
L20	34	(oversampl\$3 or (over adj sampl\$3)) near6 (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:31
L21	65	(oversampl\$3 or (over adj sampl\$3)) with (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:21
L22	140	(oversampl\$3 or (over adj sampl\$3)) same (error\$1 near2 (correction\$1 or detection))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:21
L23	0	22 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:27
L24	0	21 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:22

L25	0	20 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:22
L26	15	17 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:28
L27	1	18 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:28
L28	1	19 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:28
L29	1	19 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:27
L30	11	5 same reliable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:36
L31	0	6 with reliable	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:33
L32	1	20 same (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:39
L33	0	20 with (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:37
L34	6	21 same (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:42

L35	2	21 with (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:41
L36	23	22 same (1 or 2)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:50
L37	1896	(oversampl\$3 or (over adj sampl\$3)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 13:58
L38	8917	((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1)). clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:47
L39	1	37 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:03
L40	2	38 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:01
L41	1	38 with 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:01
L42	43	37 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:14
L43	36	37 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:03
L44	3816	(phase near2 shift\$3) near6 (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:24

L45	1	44 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:18
L46	0	44 with 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:16
L47	52	44 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:18
L48	21	44 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:18
L49	648	44.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:36
L50	2	49 same (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:26
L51	157	38 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:27
L52	116	38 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:27
L53	2	51 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:37
L54	1	52 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:29

L55	1447	(error\$1 near2 (correction\$1 or detection)) near6 (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:31
L56	47	55 same (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:48
L57	18	55 with (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:36
L58	0	56 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:33
L59	4	56 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:34
L60	2	57 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:35
L61	1458	(oversampl\$3 or (over adj sampl\$3)) near2 data	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:48
L62	214	61.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:36
L63	5	62 same (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:38
L64	4	62 with (different near2 (clock\$1 or (clock adj frequenc\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:37

L65	18	62 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:43
L66	13	62 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:38
L67	66	38 same (data near2 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:49
L68	54	38 with (data near2 correct\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:47
L69	0	67 same (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:48
L70	1	67 same (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:58
L71	0	68 with (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:49
L72	44	(data near2 correct\$4) near6 (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:52
L73	0	72 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:52
L74	1	72 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:51

L75	0	72 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:51
L76	1	((data near2 correct\$4) near6 (oversampl\$3 or (over adj sampl\$3))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:51
L77	2050	(data near2 correct\$4) near6 (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:52
L78	1	77 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:53
L79	0	77 with 6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:53
L80	62	77 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:53
L81	20	77 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:53
L82	730	detect\$4 near6 (corrupt\$2 near2 (data or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 14:58
L83	16	82 same (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:09
L84	8	82 with (sampl\$3 or oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:08

L85	0	82 same (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:09
L86	98	(oversampl\$3 or (over adj sampl\$3)) near6 (received adj (data or bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:12
L87	0	86 same 5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:10
L88	8	86 same 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:13
L89	3	86 with 4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:10
L90	21	86.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:13
L91	3	86 same (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:18
L92	3	86 with (((insert\$3 or adding or addition or additional or extra) near3 bit\$1) or ((extract\$4 or subtract\$4 or remov\$4 or throw\$4) near3 bit\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:20
L93	48	5 same ((bit\$1 or data) near2 synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:28
L94	14	6 with ((bit\$1 or data) near2 synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:27

L95	0	6 with ((bit\$1 or data) near2 recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:25
L96	14	5 same ((bit\$1 or data) near2 recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:31
L97	8	86 same ((bit\$1 or data) near2 synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:29
L98	4	86 with ((bit\$1 or data) near2 synchroniz\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:31
L99	15	86 same ((bit\$1 or data) near2 recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:32
L100	13	86 with ((bit\$1 or data) near2 recover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:32
L101	7	("5005151" "5777567" "6018305" "6054944" "6232895" "6323787" "6642864").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/03/17 15:39
L102	2	"6347380".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:42
L103	2	"6477181".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:43
L104	2	"6581164".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:43

L105	2	"6631429".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:43
L106	255	(sample\$1 near2 number) near6 (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:24
L107	25	106.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 15:58
L108	102	106 same (determin\$5 or deci\$4 or select\$3 or cho\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:26
L109	55	106 with (determin\$5 or deci\$4 or select\$3 or cho\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:04
L110	26	108 same (n or m)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:13
L111	14	109 with (n or m)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:10
L112	0	108 same (according or (based adj on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:32
L113	0	109 with (according or (based adj on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:13
L114	13	108 same (odd or even)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:18

L115	5	109 with (odd or even)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:16
L116	0	108 same ((odd or even) near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:33
L117	0	109 with ((odd or even) near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:16
L118	0	108 same formula\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L119	25	108 same method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:36
L120	5	109 with method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:19
L121	2	108 same expression\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:37
L122	0	109 with expression\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:23
L123	742	(sample\$1 near2 number) same (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:26
L124	366	(sample\$1 near2 number) with (oversampl\$3 or (over adj sampl\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:26

L125	340	123 same (determin\$5 or deci\$4 or select\$3 or cho\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L126	84	124 with (determin\$5 or deci\$4 or select\$3 or cho\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L127	2	125 same formula\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L128	0	126 with formula\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:27
L129	0	125 same (according or (based adj on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:32
L130	1	125 same ((odd or even) near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:35
L131	1	126 with ((odd or even) near2 number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:36
L132	70	125 same method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:36
L133	10	126 with method	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:36
L134	10	125 same expression\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:41

L135	0	126 with expression\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:38
L136	21	125 same equation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:42
L137	0	126 with equation\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/03/17 16:42